

**S.T.S.N. Government Degree College, Kadiri**  
Affiliated to S.K. University  
Recognized by UGC under section 2(f) & 12(B).  
Website: stsngdckadiri.ac.in  
\*\*\*\*\*

**MEMORANDUM OF UNDERSTANDING  
BETWEEN**

**Department of Botany**  
**S.T.S.N. Government Degree College, Kadiri**  
Sri Sathya Sai (Dist.), Andhra Pradesh.  
**AND**  
**Department of Botany**  
**Government Degree College, Nandikotkur.**  
Nandyal (Dist.), Andhra Pradesh.

This Memorandum of Understanding (herein after referred to as this "MoU") is made effective on and from 19<sup>th</sup> October 2022 ("the Effective date").

Department of Botany, S.T.S.N. Government Degree College, Kadiri and Department of Botany, Government Degree College, Nandikotkur, agree to work towards establishing an academic and research cooperation in areas of students interest by mutual agreement as set forth in this memorandum of understanding (MOU).

**OBJECTIVES:**

1. To develop academic and educational cooperation, establish a collaborative program in between the departments and to cooperate in their mutual interest for a range of higher educational activities.
2. To exchange information on research and educational programmes.
3. To exchange information on teaching, learning material and other literature relevant to them educational and research programmes.
4. To inculcate research activities in our institution with your support and cooperation.
5. To enhance quality of the students by providing need-based knowledge in the area of Botany.
6. To enhance the employability skills of students by providing them add on courses, by organizing guest lectures, exchange of research and students, teaching materials, short term educational programs and thus providing learning material to enrich their educational talent and learning attitude.
7. To share the hands on experience and practical skills regarding laboratory and field explorations.
8. Search for opportunities to collaborate in the future.

**NATURE OF COLLABORATION:**

This MOU shall be valid initially for two years from the date of execution from both the parties and extendable further as per the need of both the parties.


Both the parties shall take responsible steps to ensure the successful completion of the collaboration and shall cooperate with each other, in performance of their respective obligations.

Each party shall be at liberty to terminate this MOU with a written notice period of three months, to the other party with any compensation and selecting legal redress. Further, protection and exploitation of any data and/or intellectual property rights that arise as a result of any collaborative activity will be any data and/or intellectual property rights that arise as a result of any collaborative activity will be agreed on a case-to-case basis.


This MOU is signed subject to approval of the respective academic/administrative bodies and not intended to be legally binding, not to create any evidence or imply any contract obligation to enter in to a contract or obligation to negotiate.

On behalf of the Dept. of Botany,

On behalf of the Dept. of Botany,

  
Department of Botany  
S.T.S.N. Govt. Degree College,  
Kadiri  
Lecturer  
STSN Govt. Degree College  
KADIRI-515 591, Sri Sathya Sai

  
Department of Botany  
Lecturer in Botany  
Govt. Degree College  
Nandikotkur  
NANDIKOTKUR

  
Principal  
S.T.S.N. Govt. Degree College,  
Kadiri.  
PRINCIPAL  
STSN GOVT. DEGREE COLLEGE  
KADIRI - 515 591  
Sri Sathya Sai (Dist)

  
Principal  
Govt. Degree College,  
Nandikotkur.  
PRINCIPAL  
Govt. Degree College  
NANDIKOTKUR-518401  
Nandyal





Call For Paper

Issue: October 2023  
Volume 8 | Issue 10  
Impact factor: 8.15  
[Click Here For more Info](#)

Imp Links for Author

- Publication Guidelines
- Publication Charges
- Pay Publication Charges
- Track Paper
- Hardcopy and DOI
- Sample Paper Format
- Copyright Form
- Undertaking Form
- Past Issue
- Research Area

Imp Links for Reviewer

- Editorial Board

Published Paper Details

Paper Title:	Phytosociological Attributes of Climber species in Nallamalais, India.
Authors Name:	Dr. T. Shali Saheb , Dr. S. Khadar Basha , Dr. A. Narayana Swamy
Unique Id:	IJS DR2306050
Published In:	Volume 8 Issue 6, June-2023
Abstract:	nALLAMALAIS IS ONE OF THE CENTRES OF PLANT DIVERSITY IN INDIA WHICH ENCOMPASSES VARIOUS LIFEFORMS. Of which climbers are one of the most neglected. Phytosociological attributes were used to know the status of climber species..
Keywords:	Nallamalais, CPD site, climber species, IVI, <i>Gymnema sylvestre</i> .
Cite Article:	"Phytosociological Attributes of Climber species in Nallamalais, India.", International Journal of Science & Engineering Development Research (www.ijedr.org), ISSN:2455-2631, Vol.8, Issue 6, page no.367 - 372, June-2023, Available : <a href="http://www.ijedr.org/papers/IJS DR2306050.pdf">http://www.ijedr.org/papers/IJS DR2306050.pdf</a>
Downloads:	000254358
Publication Details:	Published Paper ID: IJS DR2306050 Registration ID:207089 Published In: Volume 8 Issue 6, June-2023 DOI (Digital Object Identifier): Page No: 367 - 372 Publisher: IJS DR   www.ijedr.org ISSN Number: 2455-2631

[Click Here to Download This Article](#)

Article Preview

Track Paper

[Track Submitted Paper](#)

Important Links

[Call For Paper](#)

[Join As Reviewer](#)

Conference Proposal

[CLICK HERE  
For Conference Proposal](#)

ISSN

INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
ISSN 2455-2631



9 772455 263002 >

DOI (A digital object identifier)

<https://www.ijedr.org/viewpaperforall.php?paper=IJS DR2306050>

PDF: <https://www.ijedr.org/papers/IJS DR2306050.pdf>

ISSN: 2455-2631

June 2023 IJS DR | Volume 8 Issue 6

## PHYTOSOCIOLOGICAL ATTRIBUTES OF CLIMBER SPECIES IN NALLAMALAIS, INDIA.

<sup>1</sup>T. Shalisaheb, <sup>2</sup>S. Khadar Basha and <sup>3</sup>A. Narayana Swamy

<sup>1</sup>Associate Professor of Botany, Govt. Degree College, Nandikotkur. Affiliated to Rayalaseema University, Kurnool. District, Andhra Pradesh.

<sup>2</sup>Assistant Professor of Botany, S.M.L Govt. Degree College. Yemmiganoor. Affiliated to Rayalaseema University, Kurnool. District. Andhra Pradesh.

<sup>3</sup>Assistant Professor of Botany, S.T.S.N. Govt. Degree College, Kadiri, Affiliated to Sri Krishnadevaraya University, Sri Sathya Sai District. Andhra Pradesh.

**Abstract-** Nallamalais is one of the Centres of Plant Diversity sites in India which encompasses various lifeforms. Of which Climbers are one of the most neglected. Phytosociological attributes were used to know the status of climber species. The total number of individuals of climbers reported in the study area was 319 of which *Gymnema sylvestre* as the most important species followed by *Asparagus racemosus* and *Cajanus scarabaeoides*. The lowest IVI value (1.91) was observed in six species including *Aspidoteris cordata*.

**Key words:** Nallamalais, CPD site, Climber species, IVI, *Gymnema sylvestre*.

# PHYTOSOCIOLOGICAL ATTRIBUTES OF CLIMBER SPECIES IN NALLAMALAIS, INDIA.

<sup>1</sup>T. Shalisaheb, <sup>2</sup>S. Khadar Basha and <sup>3</sup>A. Narayana Swamy

<sup>1</sup>Associate Professor of Botany, Govt. Degree College, Nandikotkur. Affiliated to Rayalaseema University, Kurnool. District, Andhra Pradesh.

<sup>2</sup>Assistant Professor of Botany, S.M.L Govt. Degree College. Yemmiganoor. Affiliated to Rayalaseema University, Kurnool. District. Andhra Pradesh.

<sup>3</sup>Assistant Professor of Botany, S.T.S.N. Govt. Degree College, Kadiri, Affiliated to Sri Krishnadevaraya University, Sri Sathya Sai District. Andhra Pradesh.

**Abstract-** Nallamalais is one of the Centres of Plant Diversity sites in India which encompasses various lifeforms. Of which Climbers are one of the most neglected. Phytosociological attributes were used to know the status of climber species. The total number of individuals of climbers reported in the study area was 319 of which *Gymnema sylvestre* as the most important species followed by *Asparagus racemosus* and *Cajanus scarabaeoides*. The lowest IVI value (1.91) was observed in six species including *Aspidoteris cordata*.

**Key words:** Nallamalais, CPD site, Climber species, IVI, *Gymnema sylvestre*.

## INTRODUCTION

Biodiversity is essential for human and economic well-being and for the ecosystem function and stability. Forests can release the stored carbon as CO<sub>2</sub> that form nearly 17-25% of the total greenhouse gas emissions, at the same time forest conservation, afforestation, reforestation and sustainable forest management can curb about 25% of emissions. Biodiversity interacting with the physical environment forms the foundation of sustainable development. Biodiversity resources, mapping their geographical distribution and quantitative estimation of their natural stands is perhaps the most important information needed for any country in the post-CBD era. The worldwide destruction of the natural environment by population explosion, urbanization, industrialization and habitat fragmentation has led to a tremendous loss of biological diversity over the past few decades and hence warrants immediate attention especially on the forestry sector as they harbor amazing biodiversity and have a critical role on global climate change scenarios.

World's forests extended over 4 billion hectares; corresponding to 31 percent of the total land area or an average of 0.6 ha per capita (FAO, 2020) has become a critical part of the international climate change agenda. Tropical forests in India comprising over 60% deciduous forests are poorly understood in terms of phytodiversity, phytosociology and quantification regimes. Analysis of the quantitative relationship among the plant species growing in an area reflects structural properties of the community. Phytosociological investigation of vegetation serves as a pre-requisite for investigating the details of primary productivity of ecosystems.

In peninsular India, quantitative phytodiversity inventories are available from the forests of the Western Ghats, whereas study on Eastern Ghats is lacking. The wide range of topography, varied climate favours luxuriant growth of vegetation and forest. It remains as a neglected area with very few attempts made for such studies in Eastern Ghats of Tamil Nadu (Kadavul and Parthasarathy, 1999a & b; Chittibabu and Parasarathy, 2000). Hence, the present study was undertaken to determine the structural and floristic composition of climber diversity in Nallamalais. The study area for the present work is considered as one of the significant biodiversity rich areas in Southern Eastern Ghats. Nallamalais one of the Centres of Plant Diversity (CPD) in India. It represents diversified habitats and supports a wide array of plant and animal life and provides basic livelihood for tribal and rural communities. Kumar & Bhanja (1992) produced a seed manual for forest trees of Andhra Pradesh. Sandhya Rani & Pullaiah (2002) reported 560 tree taxa from eastern Ghats. Suryanarayana et al., (2002) inventoried the plant wealth of Veligonda hill ranges and reported 1004 species belonging to 558 genera and 149 families. Studies on plant resources include Ellis (1982, 1987, 1990), Reddy et al., (1998), Pullaiah et al., (2007). Thuvalsi Rao et al., (2007), Reddy et al., (2007), Raju and Pullaiah (1995) surveyed the Flora of Kurnool district and reported 1064 species of which 208 are trees covering 194 from Nallamalais of Kurnool district. Pullaiah and Sandhya Rani (1999) made the floristic studies on trees of Andhra Pradesh and reported 531 tree species covering over 200 trees of Nallamalais.

While working on Flora of Andhra Pradesh, Pullaiah and Chennaiah (1997), Pullaiah and Ali Moulali (1997), Pullaiah (1997) and Pullaiah and Karuppusamy (2008) reported 2601 species, of which 531 are trees, Sunitha (2002) surveyed the sacred groves of Kurnool district and reported 138 tree taxa, of which 119 are from Nallamalais. She made over 100 additions of the Nallamalais after Raju & Pullaiah (1995) of which 18 are trees. Shali Saheb (2008) studied the medicinal plants of Nallamalais and reported 501 taxa of which 137 are trees. Khadar Basha (2009) studied quantitative assessment of Nallamalais and reported 249 tree species. Most of the studies have followed the plot methods including square plots of 100x100cm (Gentry, 1988); 10x10m (Shalisaheb, 2008) to rectangular plots 10x10m by Boom (1986). Shah Hussain et al., (2008) describes the species composition. Shali Saheb (2008) analysed the medicinal plant diversity in three one-hectare plots through ten quadrants of 10x10m and recorded 135 species belonging to 110 genera 45 families. Khadar Basha (2009) recorded a total of 249 tree species from 175 grids comprising 237 species belonging to 139 genera and 54 families.

Climbers are one of the most interesting group of plants Species which are most neglected. These climbers contribute largely to the charm of our landscape by the manner in which they climb over trees, rocks. They also play a part in ancient historical buildings which their attraction to the green veil which covers their structural defects making them a perfect beauty in our eyes.

Climbers show great diversity in their climbing mechanism depending on which they are classified as root climbers, hook climbers, tendril climbers, leaf or stem climbers. Only few studies were carried out on climbers. Pandey et al., (2005), studies medicinal climbers in flora of Gujarat. 81 climbers were recorded by Jangid and Sharma (2011), Ghosh and Mukherjee (2006), recorded 149 herbaceous climbers and 79 lianas from North Andaman covering 55 families while Mahajan (2006), reported 31 taxa used by tribal people of Nimar region in Madhya Pradesh to cure various human ailments. Earlier studies on plant resources of Nallamalais include Ellis (1987), Kumar (1995), Goud (1997), Thulasi Rao et al., (2007), Shali Saheb (2008) studied the medicinal plants Nallamalais and reported 501 taxa. Shali Saheb (2014), studies medicinal climbers of Nallamalais reported 92 species belonging to 27 families. Shali saheb et.al (2023) reported the diversity of shrubs of the Nallamalais forest the TNI value was 606, the abundance value of the shrubs is 210.22. No comprehensive work is available for phytosociology of climbers in the study area, therefore, the objective of the present paper is to Study of phytosociological attributes of climbers plant resources in Nallamalais.

## STUDY AREA

Nallamalais, one of the Centres of Plant Diversity (CPD) (WWF & IUCN, 1995) is located in the Central Eastern Ghats between latitudes 15°20' - 16°30' N and longitude 78°30' - 80°10' E in Andhra Pradesh, Telangana states extended to an area of 7640 sq km. Nallamalais cover five districts, viz. Kurnool, Prakasam, Guntur, of Andhra Pradesh, Mahaboob Nagar, and Nalgonda of Telangana. The hills cluster near Gundlurrahmeswaram, which is the nucleus of the Nallamalais appearing as a plateau. The vegetation of the Nallamalais is broadly categorized into 3 types; moist deciduous, dry deciduous, scrub type forests. Most primitive tribes, Chenchus and Sugalis live in Nallamalais. From times immemorial the forests of Nallamalais have been inhabited by Chenchus an aboriginal and oldest tribe of South India. An ecological meaning is attributed to the word "Chenchu" by interpreting that a person who lives under a chettu (tree) is a Chenchu. They are experts in collection of honey, wild fruits and plant crude drugs. Sugalis also known as Lambadis and Banjaras are largely found in the Nallamalais forest. These tribes in the study area have rich traditional botanical knowledge and still dependent on wild medicinal plant resources for curing their ailments.




Figure 1. Map of Nallamalais

## METHODOLOGY

The main objective of the present paper to provide a study on phytosociological attributes of climbers random sampling method.

## QUANTITATIVE STUDIES

The field work plan carried out in Nallamalais was sampled by lying of 50 quadrates in the study area. Each quadrate size is 20x20m. All life forms of plants such as trees, shrubs, climbers and herbs were enumerated. All trees were enumerated in 20x20m quadrates,

shrubs and climbers in 5x5m nested plot and herbs were studied in nested 1mx1m plot. The field work was carried out in two seasons to cover all the vegetation and phenology of climbers.

**Importance Value Index (IVI)**

IVI = Relative dominance + Relative density + Relative frequency

**Diversity Indices:** Species diversity indices namely Shannon-Wiener index (Shannon and Weiner, 1962), Simpson index (Simpson, 1949) and Margalef Index (Margalef, 1980) were calculated.

**Dominance Indices (Simpson 1949):** It is a measure of dominance since it weighted towards the abundances of commonest species. It is estimated by using following formula:

$$D = \sum (ni/N)^2 \text{ or } Pi^2$$

**Shannon-Wiener index:** It is a measure of the average degree of ‘uncertainty’ in predicting to what species an individual chosen at random from a collection of S species and N individuals will belong. It is estimated by using following formula:

$$H' = -\sum (ni/N) \ln (ni/N)$$

Where, ni = number of individuals belonging to the ith species

N = Total number of individuals in the sample.

**RESULTS AND DISCUSSION**

The total number of individuals (TNI), number of quadrates in which species occurred, and the quantitative characters like abundance (A), density (D), frequency (F), relative abundance (RA), relative density (RD), relative frequency (RF) and importance value index (IVI) (Fig. 5) for climbers were presented in **Table-1**

**Abundance:** The total number of individuals (TNI) of climbers in the study site was 319. The total abundance value for climbers is about 134.15, with an average of 2.63. *Gymnema sylvestre* (44.5) was recorded as the high abundant species and the lowest abundance was recorded for 7 species including *Oianthus disciflorus* with 1.0.


**Density:** The total density of 51 climbers is 6.38, with an average of 0.12. The highest density value was recorded for *Gymnema sylvestre* (0.7) and the lowest density was recorded for 6 species including *Puraria tuberosa* (0.02).

**Frequency:** The total frequency for all the climbers is 234, with an average of 4.5. The high frequency value was recorded for *Cajanus scarabaeoides* and *Decalepis hamiltonii* with 14 and least frequency was observed in 22 taxa with 2 (e.g. *Piper attenuatum*).

**Importance Value Index (IVI):** Importance Value Index of individual climbers encountered in the sampled quadrates was identified *Gymnema sylvestre* (20.91) as the most important species followed by *Asparagus racemosus* (13.88) and *Cajanus scarabaeoides* (13.54). The lowest IVI value (1.91) was observed in six species including *Aspidoteris cordata*. The top 10 dominant IVI climbers are presented in **Fig.2**

**Diversity indices:** The Simpson Index is 0.9609, Shannon-Wiener Index is 3.562.

**Figure. 2. Top 10 IVI Climber species of Nallamalais**



**Table. 1. Phytosociological attributes of climbers**

S.No.	Name of the taxon	TNI	Q	A	D	F	RA	RD	RF	IVI	A/F
1	<i>Abrus precatorius</i>	16	5	3.20	0.32	10	2.39	5.02	4.27	11.67	0.32
2	<i>Abrus pulchellus</i>	1	1	1.00	0.02	2	0.75	0.31	0.85	1.91	0.50
3	<i>Acacia caesia</i>	5	3	1.67	0.1	6	1.24	1.57	2.56	5.37	0.28
4	<i>Acacia intsia</i>	7	2	3.50	0.14	4	2.61	2.19	1.71	6.51	0.88

5	<i>Acacia torta</i>	10	3	3.33	0.2	6	2.48	3.13	2.56	8.18	0.56
6	<i>Ampelocissus latifolia</i>	5	2	2.50	0.1	4	1.86	1.57	1.71	5.14	0.63
7	<i>Ampelocissus tomentosa</i>	2	1	2.00	0.04	2	1.49	0.63	0.85	2.97	1.00
8	<i>Argyrea cuneata</i>	4	2	2.00	0.08	4	1.49	1.25	1.71	4.45	0.50
9	<i>Argyrea nervosa</i>	5	2	2.50	0.1	4	1.86	1.57	1.71	5.14	0.63
10	<i>Asparagus racemosus</i>	20	6	3.33	0.4	12	2.48	6.27	5.13	13.88	0.28
11	<i>Aspidoteris cordata</i>	1	1	1.00	0.02	2	0.75	0.31	0.85	1.91	0.50
12	<i>Bauhinia vahlii</i>	2	1	2.00	0.04	2	1.49	0.63	0.85	2.97	1.00
13	<i>Cajanus scarabaeoides</i>	18	7	2.57	0.36	14	1.92	5.64	5.98	13.54	0.18
14	<i>Capparis sepriaria</i>	1	1	1.00	0.02	2	0.75	0.31	0.85	1.91	0.50
15	<i>Cayratia auriculata</i>	2	1	2.00	0.04	2	1.49	0.63	0.85	2.97	1.00
16	<i>Cayratia pedata</i>	4	3	1.33	0.08	6	0.99	1.25	2.56	4.81	0.22
17	<i>Celastrus paniculata</i>	3	2	1.50	0.06	4	1.12	0.94	1.71	3.77	0.38
18	<i>Cissampelos perira</i>	8	3	2.67	0.16	6	1.99	2.51	2.56	7.06	0.44
19	<i>Cissus quadrangularis</i>	4	2	2.00	0.08	4	1.49	1.25	1.71	4.45	0.50
20	<i>Combretum albidum</i>	7	2	3.50	0.14	4	2.61	2.19	1.71	6.51	0.88
21	<i>Corallocarpus epigaeus</i>	2	1	2.00	0.04	2	1.49	0.63	0.85	2.97	1.00
22	<i>Decalepis hamiltonii</i>	12	7	1.71	0.24	14	1.28	3.76	5.98	11.02	0.12
23	<i>Dioscorea bulbifera</i>	9	4	2.25	0.18	8	1.68	2.82	3.42	7.92	0.28
24	<i>Dioscorea oppositifolia</i>	4	1	4.00	0.08	2	2.98	1.25	0.85	5.09	2.00
25	<i>Dioscorea pentaphylla</i>	2	2	1.00	0.04	4	0.75	0.63	1.71	3.08	0.25
26	<i>Dioscorea pubera</i>	4	1	4.00	0.08	2	2.98	1.25	0.85	5.09	2.00
27	<i>Grewia rhamnifolia</i>	15	3	5.00	0.3	6	3.73	4.70	2.56	10.99	0.83
28	<i>Gymnema sylvestre</i>	35	4	8.75	0.7	8	6.52	10.97	3.42	20.91	1.09
29	<i>Gymnopetalum cochinechinensis</i>	3	1	3.00	0.06	2	2.24	0.94	0.85	4.03	1.50
30	<i>Hemidesmus indicus</i>	7	5	1.40	0.14	10	1.04	2.19	4.27	7.51	0.14
31	<i>Ipomoea barlerioides</i>	4	2	2.00	0.08	4	1.49	1.25	1.71	4.45	0.50
32	<i>Jacquenmontia paniculata</i>	6	3	2.00	0.12	6	1.49	1.88	2.56	5.94	0.33
33	<i>Jasminum angustifolia</i>	3	1	3.00	0.06	2	2.24	0.94	0.85	4.03	1.50
34	<i>Jasminum auriculatum</i>	4	1	4.00	0.08	2	2.98	1.25	0.85	5.09	2.00
35	<i>Jasminum roxburghianum</i>	2	1	2.00	0.04	2	1.49	0.63	0.85	2.97	1.00
36	<i>Maynia hwatariana</i>	3	1	3.00	0.06	2	2.24	0.94	0.85	4.03	1.50
37	<i>Oianthus disciflorus</i>	1	1	1.00	0.02	2	0.75	0.31	0.85	1.91	0.50
38	<i>Olox scandens</i>	1	1	1.00	0.02	2	0.75	0.31	0.85	1.91	0.50
39	<i>Piper attenuatum</i>	8	1	8.00	0.16	2	5.96	2.51	0.85	9.33	4.00
40	<i>Pterolobium hexapetalum</i>	3	1	3.00	0.06	2	2.24	0.94	0.85	4.03	1.50
41	<i>Puraria tuberosa</i>	1	1	1.00	0.02	2	0.75	0.31	0.85	1.91	0.50
42	<i>Rhynchosia rufescens</i>	12	4	3.00	0.24	8	2.24	3.76	3.42	9.42	0.38
43	<i>Rhynchosia suavevens</i>	4	1	4.00	0.08	2	2.98	1.25	0.85	5.09	2.00
44	<i>Rivea hypocroteriformis</i>	7	3	2.33	0.14	6	1.74	2.19	2.56	6.50	0.39

45	<i>Sarcostemma acidum</i>	3	1	3.00	0.06	2	2.24	0.94	0.85	4.03	1.50
46	<i>Secamone emetica</i>	2	1	2.00	0.04	2	1.49	0.63	0.85	2.97	1.00
47	<i>Smilax zeylanica</i>	4	2	2.00	0.08	4	1.49	1.25	1.71	4.45	0.50
48	<i>Solena amplexicalis</i>	18	5	3.60	0.36	10	2.68	5.64	4.27	12.60	0.36
49	<i>Thunbergia fragrans</i>	6	3	2.00	0.12	6	1.49	1.88	2.56	5.94	0.33
50	<i>Ventilago denticulata</i>	3	2	1.50	0.06	4	1.12	0.94	1.71	3.77	0.38
51	<i>Ziziphus oenoplea</i>	6	2	3.00	0.12	4	2.24	1.88	1.71	5.83	0.75
		<b>319</b>		<b>134.15</b>	<b>6.38</b>	<b>234</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>300.00</b>	

**TNI-** Total Number of Individuals, **Q-** Number of quadrates, **A-** Abundance, **D-** Density, **F-** Frequency, **RA-** Relative Abundance, **RD-** Relative Density, **RF-** Relative Frequency, **IVI-** Importance Value Index, **A/F-** Abundance/Frequency Ratio.

## CONCLUSIONS

Forests that are relatively undisturbed seem to possess these varied habitat conditions more upon certain specific areas should be with limited human and grazing disturbance to conserve these taxa. Nallamalais is a protected area needs further attention in terms of conserving valuable climbers species. Good marketing avenues have to be created for the local communities regarding climbers of medicinal value. Intensive training programmes have to be organized for tribal and other communities by governmental and non-governmental agencies regarding the sustainable collection, utilization and conservation of climbers resources. A highly coordinated action-oriented multi-disciplinary approach on plant resources conservation integrating the forest department, non-governmental organizations, scientific bodies and research institutions with the co-operation of local communities should be implemented

## REFERENCES:

1. Ellis, J.L.(1982). Wild plant resources of Nallamalais on the Eastern Ghats *National Seminar on resources Development and Environment of the Eastern Ghats*.A.P. vishakapatnam. 65-68.
2. Ellis, J.L. (1987). *Flora of Nallamalais*.Vol. 1& 2. Fl.Ind. Ser.3 Botanical Survey of India. Calcutta.
3. Ellis, J.L.(1990) *Flora of Nallamalais*.Vol. 1& 2. Fl.Ind. Ser.3 Botanical Survey of India. Calcutta.
4. FAO. State of the world's forests (2010). Food and Agriculture Organization of the United Nations, Rome.
5. Gentry, A.H. (1998). Changes in Plant community diversity and floristic composition on environmental and Geographical gradients. *Ann. Mo.Bot.Gard.*75:1-34.
6. Ghosh, A. & Mukherjee, P.K(2006). Diversity of Climbers and Lianas of North Andaman. *National Conference on floral Biodiversity Resource; Exploration, conservation and management*. Madurai Kamaraj Univ., Madurai.
7. Gou, Sai Prasad P.(1997). *Ethno-Medico-Botanical studies in Kurnool district*. Ph.D Thesis submitted to Sri Krishnadevaraya University, Ananthapuram.
8. Jangid, M.S. & Sharma, S.S(2001). Climbers of Taluka Modasa, District, Sabrkantha (Gujarat), India. *Lifesciences Leaflets*14:466-471
9. Kadavul, K. Parthasathy N.(1999a). Plant Biodiversity and Conservation of tropical Semi-evergreen forest in the Shervarayan hills of eastern Ghats, India.*Biodiversity and Conservation*.8:421-439.
10. Kadavul, K. Parthasarathy N. (1999b). Structure and composition of woody species in tropical semi-evergreen forest of Kalrayan hills, eastern Ghats, India. *Tropical Ecology*40:247-260.
11. Khadar Basha, S(2009). *Diversity, quantification and conservation of Tree resources of Nallamalais, Andhra Pradesh*.Ph.D. thesis submitted to Sri Krishnadevaraya University, Ananthapuram.
12. Kumar, S.V, Bhanja, M.(1992). *Forestry seed manual of Andhra Pradesh*.Research & Development circle Andhra Pradesh Forest Department, Hyderabad, India.
13. Kumar, dharmachandra, T.(1995). *Ethno-Medico-Botanical studies in Mahaboob Nagar*. Ph.D., thesis submitted to Sri Krishnadevaraya University, Ananthapuram.
14. Mahajan,S.K.(2006). An Ethnobotanical survey of climbers reported from Nimar Region of Madhya Pradesh, *National conference of Forest Biodiversity Resource,Exploration, conservation and management*. Madurai Kamraj Univ., Madurai.
15. Pandey, C.N., raval, B.R.Mali S. & Salvi,H(2005). Medicinal Plants of Gujarat, *Gujarat Ecological Edu.And Research (GEER) foundation*.Gandhi Nagar.
16. Pullaiah. T. Ali Moulali D. (1997) (Eds). *Flora of Andhra Pradesh, India*.Scientific Publishers, Jodhpur. 2.
17. Pullaiah, T. Chennaiah,E. (1997). *Flora of Andhra Pradesh, India*.Scientific Publishers, Jodhpur. 1.
18. Pullaiah,T. Karuppusamy.(2008). *Flora of Andhra Pradesh, India*.Scientific Publishers, Jodhpur. 5.
19. Pullaiah,t. Sandhya rani, S.(1999). *Trees of Andhra Pradesh, India*.Regency publications, New Delhi.
20. Raju, RRv. Pullaiah,T.(1995). *Flora of Kurnool (Andhra Pradesh)*. Bishen singh Mahendra Pal Singh, Dehra dun.
21. Reddy, C. S. reddy, K.N. thualsi Rao, K. Pattnail, C(2007). Ethnobotanical studies on medicinal plants used by the chenchus of Nallamalais in Kurnool district, A.P. India. *Research Journal of Medicinal Plants* 1(4): 128-133.
22. Reddy, M.B. Reddy, K.R.reddy, MN. A survey of medicinal plants of chenchu tribes of Andhra Pradesh, India.*Int. J. Crude Drug res.* 26:189-196.

23. Sandhya Rani S, Pullaiah, T.(2002). A Taxonomic survey of trees in eastern ghats in:*Proc. Nat. Seminar on conservation of Eastern Ghats*, EPTRI-ENVIS. 5-15.
24. Shah Hussain H, Aisha Sultana, Jamal A Khan, Afifullah Khan.(2008). Species composition and community structure of forest stands in Kumaon Himalaya, Uttarkand, India..*Trop. Ecol.*167-181.
25. Shali Saheb, T. *Medicinal Plant Resources and conservation in Nallamalais, Andhra Pradesh*. Ph.D. Thesis submitted to Sri Krishnadevaraya University, Ananthapuram.
26. Shali Saheb, T.(2016).Phytosociology of trees of Gundlabrahmeswaram Wls. Nallamalais, Andhra Pradesh, India.*International Journal of Multidisciplinary research and Development.*3:7.270-275.
27. Shali saheb T, M. Manjula (2023). A study of phytosociological attributes of shrubs plant resources in Nallamalais. *International Journal of Phytology Research*, 3(1):19-25.
28. Shannon, C.Z. Weaver, w. *The Mathematical theory of communication*. Univ. Illinois Press, Urbana.
29. Simpson, E.H.1949). Measurement of diversity. *Nature*.163-688.
30. Sunitha, s.(2002). *Plant biodiversity of the Sacred Groves of Kurnool District*. Andhra Pradesh. Ph.D. Thesis submitted to Sri Krishnadevaraya University. Ananthapuram.
31. Suranarayana B, Madhusudhana Rao, A. Sreenivasa Rao,A. (2002). Plant wealth of Veligonda hill ranges and environment of Eastern Ghats and need for its Conservation. In:*Proc. Nat. Seminar on conservation of Eastern Ghats*. 135-150
32. Thulasi Rao, K.,Reddy,K.N.,Pattanaik, C.& Reddy, c.S(2007). Ethnomedicinal Importance of Pteridophytes used by chenchus of Nallamalais Andhra Pradesh, India. *Ethnobotanical Leaflets* 1-5.



# INTERNATIONAL JOURNAL OF SCIENCE & ENGINEERING DEVELOPMENT RESEARCH

An International Open Access Journal

ISSN: 2455-2631

## Certificate of Publication

The Board of

International Journal of Science & Engineering Development Research

Is hereby awarding this certificate to

**Dr. T. Shali Saheb**

In recognition of the publication of the paper entitled

**Phytosociological Attributes of Climber species in Nallamalais, India.**

Published in Volume 8 Issue 6, June-2023



*Co-Authors - Dr. S. Khadar Basha, Dr. A. Narayana Swamy*

**Paper ID - IJSDR2306050**

**Editor-In Chief**



# INTERNATIONAL JOURNAL OF SCIENCE & ENGINEERING DEVELOPMENT RESEARCH

An International Open Access Journal

ISSN: 2455-2631

## Certificate of Publication

The Board of  
International Journal of Science & Engineering Development Research

Is hereby awarding this certificate to

**Dr. S. Khadar Basha**

In recognition of the publication of the paper entitled

**Phytosociological Attributes of Climber species in Nallamalais, India.**

Published in Volume 8 Issue 6, June-2023



*Co-Authors - Dr. T. Shali Saheb, Dr. A. Narayana Swamy*

**Paper ID - IJSDR2306050**

**Editor-In Chief**



# INTERNATIONAL JOURNAL OF SCIENCE & ENGINEERING DEVELOPMENT RESEARCH

An International Open Access Journal

ISSN: 2455-2631

## Certificate of Publication

The Board of  
International Journal of Science & Engineering Development Research

Is hereby awarding this certificate to

**Dr. A. Narayana Swamy**

In recognition of the publication of the paper entitled

**Phytosociological Attributes of Climber species in Nallamalais, India.**

Published in

Published in Volume 8 Issue 6, June-2023



*Co-Authors - Dr. T. Shali Saheb, Dr. S. Khadar  
Basha*

**Paper ID - IJSDR2306050**

**Editor-In Chief**